

# **Precision Forged for Quality, Strength and Performance**

# **Precision Forged for Quality, Strength and Performance**







**AXLES / AXLE KITS / DRIVETRAIN COMPONENTS** 

**AXLES / AXLE KITS / DRIVETRAIN COMPONENTS** 

ATLANTA, GA | CHICAGO, IL | DALLAS, TX | LOS ANGELES, CA

ATLANTA, GA | CHICAGO, IL | DALLAS, TX | LOS ANGELES, CA

(800) 934-2727

(800) 934-2727

www.TenFactory.com | www.MotiveGear.com

www.TenFactory.com | www.MotiveGear.com

#### Why TEN Factory™?

At TEN Factory, we produce the best high-performance single and paired axle shaft kits and components available on the market today. We make drivetrain parts for your vehicle, that you can rely on.

As part of Midwest Truck & Auto Parts' Motive Gear division, TEN Factory engineers and product designers develop proprietary technical drawings and specifications that follow strict quality and strength criteria for every axle we make.



At TEN Factory, we are involved. Everyday our products are tested at Motive Gear's in-house Quality Assurance lab – the only one in the industry! We are able to align TEN Factory axle shafts and kits with Motive Gear's extensive ring and pinion and drivetrain product lines. This combination of product knowledge and experience is unmatched in the performance drivetrain industry.

#### **Our Warranty**

The TEN Factory name comes from a TEN Year Replacement Warranty on our axle shafts. It stands for high-quality parts that are well engineered for performance, strength and durability. More importantly, it stands for an honest, hardworking effort to earn your business and stand behind every axle we make.

#### **Just Like You**

We are driving enthusiasts just like you. At TEN Factory, our team includes off-road adventurers, street, muscle car, drag racing, and circle track racers. Wherever the race takes you, you'll find us as participants and fans. We attend many events across the country and around the world.

Parts listed in this catalog are not necessarily manufactured by the original equipment manufacturer and any reference to the trademarks or part numbers of others are for cross reference informational purposes only. The photos provided herein are provided only for illustrative purposes. The actual products supplied may differ. The trademarks of others referred to herein are owned by their respective companies and are not affiliated in any way with Midwest Truck & Auto Parts, Inc.\*, Richmond Gear\* and Excel by Richmond\*. These divisions are the registered or pending trademarks of Midwest Truck & Auto Parts, Inc.\*. Use of the '®' in connection with a mark of Midwest Truck & Auto Parts, Inc.\*. Indicates that the mark is registered in at least the United States. No representation is made with respect to the source of manufacture of any particular part. While every effort is made to provide accurate information, no guarantee is provided As to the accuracy of the information contained herein. We are not responsible for typographical errors.

#### **Table of Contents**

| MODEL 30 - FRONT AXLE KITS  | . 4 |
|---|-----|
| MODEL 44 - FRONT AXLE KITS  | . 4 |
| MODEL 30/44 - FRONT OUTER AXLE  | . 6 |
| MODEL 30/44 - FRONT AXLE TUBE SEALS   | . 6 |
| DANA® MODEL 30/44 FRONT INNER AXLES   | . 8 |
| MODEL 60 INNER FRONT AXLES  | 10  |
| MODEL 60 OUTER FRONT AXLE KITS  | 10  |
| MODEL 60 REAR SEMI-FLOAT AXLES  | 10  |
| MODEL 60 REAR FULL FLOAT AXLES  | 10  |
| MODEL 20 ONE PIECE AXLE KITS  | 12  |
| MODEL 35 AXLE KITS  | 12  |
| MODEL 44 AXLE KITS  | 12  |
| FORD® 9" BRONCO AXLE KITS   | 12  |
| FORD® 8.8" PERFORMANCE CAR AXLE KITS  | 14  |
| $\ensuremath{GM}^{\circledast}$ 7.5"/7.6" 10 BOLT PERFORMANCE CAR AXLE KITS . | 14  |
| $\ensuremath{GM}^{\circledast}$ 8.2"/8.5" 10 BOLT PERFORMANCE CAR AXLE KITS . | 14  |
| $\text{GM}^{\$}$ 8.875" 12 BOLT PERFORMANCE CAR AXLE KITS $\dots$             | 16  |
| FORD® CAR REPLACEMENT AXLE KITS   | 16  |
| GM CAR REPLACEMENT SINGLE AXLE KITS   | 16  |
| FORD® TRUCK REPLACEMENT AXLE KITS   | 18  |
| GM® TRUCK REPLACEMENT AXLE KITS   | 20  |
| DODGE® TRUCK REPLACEMENT AXLE KITS  | .20 |
| JEEP® REPLACEMENT SINGLE AXLE KITS  | 20  |



Forring & pinion sets and drivetrain accessories download the Motive Gear catalog on www. Motive Gear.com

#### **FRONT AXLE KITS**

When upgrading your Jeep or 4x4, upgrade your axle shafts. Remember that original equipment axle shafts are designed for factory tire sizes and moderate off road use. TEN Factory™ axle shafts have maximum strength and durability, and they are backed with an exclusive TEN-Year replacement warranty.

#### 4340 CHROMOLY MATERIAL

High strength and ductility

#### DUAL HEAT TREATED

Puts the strength precisely where it is needed

#### TORQUE EQUALIZING DIAMETERS

Helps eliminate u-joint failure

### MODEL 30 - FRONT AXLE KITS (5-760X U-Joint)

10-YEAR WARRANTY

| APPLICATION                                     | MODEL   | PART #  | LH SIDE<br>LENGTH | RH SIDE<br>LENGTH | INNER<br>SPLINE W/<br>SPLINE END<br>DIA. | OUTER<br>STUB<br>LENGTH | OUTER STUB<br>SPLINE WITH<br>SPLINE<br>END DIA. | OUTER STUB<br>SPLINE |
|---|---------|---------|-------------------|-------------------|--|-------------------------|---|----------------------|
| 72-81 Narrow Jeep CJ Big Spline Upgrade*        | Dana 30 | MG22129 | 27.02"            | 14.14"            | 1.31"- 30                                | 8.72"                   | 1.16"- 27                                       | 1.16"- 27            |
| 82-86 Wide Jeep CJ Big Spline Upgrade*          | Dana 30 | MG22130 | 28.69"            | 15.82"            | 1.31"- 30                                | 8.72"                   | 1.16"- 27                                       | 1.16"- 27            |
| 72-81 Jeep CJ                                   | Dana 30 | MG22139 | 27.02"            | 14.14"            | 1.16"- 27                                | 8.72"                   | 1.16"- 27                                       | 1.16"- 27            |
| 82-86 Jeep CJ                                   | Dana 30 | MG22142 | 28.69"            | 15.82"            | 1.16"- 27                                | 8.72"                   | 1.16"- 27                                       | 1.16"- 27            |
| 87-96 Jeep YJ Big Spline Upgrade*               | Dana 30 | MG22131 | 16.50"            | 32.31"            | 1.31"- 30                                | 6.11"                   | 1.16"- 27                                       | 1.16"- 27            |
| 97-06 Jeep TJ Big Spline Upgrade*               | Dana 30 | MG22132 | 16.50"            | 32.31"            | 1.31"- 30                                | 6.11"                   | 1.16"-27  | 1.16"- 27            |
| 87-96 Jeep YJ with Vacuum Disconnect Eliminator | Dana 30 | MG22145 | 16.50"            | 32.31"            | 1.16"- 27                                | 6.11"                   | 1.16"- 27                                       | 1.16"- 27            |
| 97-06 Jeep TJ                                   | Dana 30 | MG22148 | 16.50"            | 32.31"            | 1.16"- 27                                | 6.11"                   | 1.16"- 27                                       | 1.16"- 27            |
| 07-Up Jeep JK                                   | Dana 30 | MG22152 | 18.75"            | 34.45"            | 1.16"- 27                                | 6.25"                   | 1.28"- 32                                       | 1.28"- 32            |

\*UPGRADE: STOCKSPUNES to BIG 30 SPLINES

# MODEL 44 - FRONT AXLE KITS (5-760X U-Joint)

**10-YEAR WARRANTY** 

**all 4340 Chromoly** 

| APPLICATION                            | MODEL   | PART #  | LH SIDE<br>LENGTH | RH SIDE<br>LENGTH | INNER SPLINE O<br>W/ SPLIN<br>E END DIA. | UTER STUB<br>LENGTH | OUTER STUB<br>SPLINE<br>W/ SPLINE<br>END DIA. | OUTER<br>STUB<br>PLINE |
|--|---------|---------|-------------------|-------------------|--|---------------------|---|------------------------|
| 73-80 GM                               | Dana 44 | MG22172 | 36.13"            | 18.31"            | 1.31"- 30                                | 9.94"               | 1.16"- 19                                     | 1.16"- 19              |
| 75-96 F150/                            | Dana 44 | MG22175 | 18.91"            | 33.91"            | 1.31"- 30                                | 9.72"               | 1.16"- 19                                     | 1.16"- 19              |
| 78-86 Bronco                           | Dana 44 | MG22175 | 18.91"            | 33.91"            | 1.31"- 30                                | 9.72"               | 1.16"- 19                                     | 1.16"- 19              |
| 69-79 Ford F250                        | Dana 44 | MG22176 | 18.62"            | 34.75"            | 1.31"- 30                                | 9.72"               | 1.16"- 19                                     | 1.16"- 19              |
| 71-77 Ford Bronco                      | Dana 44 | MG22177 | 18.31"            | 27.94"            | 1.31"- 30                                | 9.72"               | 1.16"- 19                                     | 1.16"- 19              |
| 73-80 Jeep Scout                       | Dana 44 | MG22173 | 32.91"            | 14.07"            | 1.31"- 30                                | 8.72"               | 1.16"- 27                                     | 1.16"- 27              |
| 74-79 Jeep Wagoneer                    | Dana 44 | MG22171 | 24.63"            | 43.13"            | 1.31"- 30                                | 9.94"               | 1.16"- 19                                     | 1.16"- 19              |
| 80-92 Jeep Wagoneer                    | Dana 44 | MG22174 | 25.74"            | 42.06"            | 1.31"- 30                                | 9.94"               | 1.16"- 19                                     | 1.16"- 19              |
| 03-06 Jeep TJ Rubicon                  | Dana 44 | MG22165 | 16.62"            | 31.88"            | 1.31"- 30                                | 6.11"               | 1.16"- 27                                     | 1.16"- 27              |
| 07-Up Jeep JK<br>with U-Joint #5004891 | Dana 44 | MG22155 | 19.72"            | 33.64"            | 1.31"- 30                                | 6.25"               | 1.28"- 32                                     | 1.28"- 32              |
| 77-90 GM 1/2 Ton*                      | GM 8.5" | MG22170 | 35.46"            | 19.15"            | 1.28"- 30                                | 9.94"               | 1.16"- 19                                     | 1.16"- 19              |

\* UPGRADE: STOCKSPUNES to BIG SO SPUNES

# MODEL 30/44 - FRONT OUTER AXLE APPLICATION MODEL

#### (5-760X U-Joint)

| 10-YEAR V       | <b>NARRANTY</b> |  |
|-----------------|-----------------|--|
| <b>ALL 4340</b> | CHROMOL         |  |

| APPLICATION                                      | MODEL      | PART#    | SIDE       | OUTER<br>Stub<br>Length | OUTER<br>STUB<br>SPLINE |
|--|------------|----------|------------|-------------------------|-------------------------|
| 87-06 Jeep TJ/YJ                                 | Dana 30/44 | MG20104B | Outer Stub | 6.11"                   | 27                      |
| Ford   | Dana 44    | MG20126B | Outer Stub | 9.72"                   | 19                      |
| 60-91 GM, 71-93 Jeep Wagoneer                    | Dana 44    | MG20127B | Outer Stub | 9.94"                   | 19                      |
| D30 Jeep CJ/D44 Scout                            | Dana 30/44 | MG20128B | Outer Stub | 8.72"                   | 28                      |
| 97-06 Jeep TJ/Rubicon*                           | Dana 30/44 | MG20133B | Outer Stub | 6.11"                   | 30                      |
| 07-Up Jeep JK Rubicon<br>with 68017182AA U-Joint | Dana 44    | MG20140B | Outer Stub | 6.25"                   | 32                      |
| 07-Up Jeep JK                                    | Dana 30    | MG20141B | Outer Stub | 6.25"                   | 32                      |

<sup>\*</sup>Not the standard 27 spline outer

# MODEL 30/44 - FRONT AXLE TUBE SEALS

| 10 \  | /EAR | AA/AE | DAR | UTV |
|-------|------|-------|-----|-----|
| TO- 1 | LAN  | VVAI  | MAI | 411 |

| APPLICATION  | MODEL      | PART#   | SIDE  | COLOR  |
|--|------------|---------|-------|--------|
| 84-Up Jeep JK/YJ/TJ/XJ with Vacuum Disconnect Eliminator | Dana 30/44 | MG21102 | LH/RH | Red    |
| 84-Up Jeep JK/YJ/TJ/XJ with Vacuum Disconnect Eliminator | Dana 30/44 | MG21103 | LH/RH | Black  |
| 84-Up Jeep JK/YJ/TJ/XJ with Vacuum Disconnect Eliminator | Dana 30/44 | MG21104 | LH/RH | Silver |



# AXIETUBESEALS

This updated design of our original product helps to keep mud and debris out of your front axle tubes. TEN Factory Axle Tube Seals are available in Red, Black and Silver.

Fits XJ, YJ, TJ and JK front axles!



MODEL 30/44 FRONT AXLES

# DANA MODEL 30/44 FRONT INNER AXLES (5-760X U-Joint) 10-YEAR WARRANTY AND 4840 CHROMOLY

| APPLICATION                                    | MODEL   | PART#    | SIDE     | LENGTH | INNER<br>SPLINE |
|--|---------|----------|----------|--------|-----------------|
| 72-81 Jeep CJ                                  | Dana 30 | MG20209B | RH Inner | 14.14" | 27              |
| 72-81 Jeep CJ                                  | Dana 30 | MG20220B | LH Inner | 27.02" | 27              |
| 72-81 Jeep CJ Big Spline Upgrade*              | Dana 30 | MG20109B | RH Inner | 14.14" | 30              |
| 72-81 Jeep CJ Big Spline Upgrade*              | Dana 30 | MG20120B | LH Inner | 27.02" | 30              |
| 82-86 Jeep CJ                                  | Dana 30 | MG20210B | RH Inner | 15.82" | 27              |
| 82-86 Jeep CJ                                  | Dana 30 | MG20221B | LH Inner | 28.69" | 27              |
| 82-86 Jeep CJ Big Spline Upgrade*              | Dana 30 | MG20110B | RH Inner | 15.82" | 30              |
| 82-86 Jeep CJ Big Spline Upgrade*              | Dana 30 | MG20121B | LH Inner | 28.69" | 30              |
| 87-06 Jeep LJ/TJ/XJ/YJ                         | Dana 30 | MG20113B | RH Inner | 32.31" | 27              |
| 87-06 Jeep LJ/TJ/XJ/YJ                         | Dana 30 | MG20124B | LH Inner | 16.50" | 27              |
| 87-06 Jeep LJ/TJ/XJ/YJ Big Spline Upgrade*     | Dana 30 | MG20129B | RH Inner | 32.31" | 30              |
| 87-06 Jeep LJ/TJ/XJ/YJ Big Spline Upgrade*     | Dana 30 | MG20130B | LH Inner | 16.50" | 30              |
| 07-Up Jeep JK                                  | Dana 30 | MG20137B | LH Inner | 18.75" | 27              |
| 07-Up Jeep JK                                  | Dana 30 | MG20136B | RH Inner | 34.44" | 27              |
| 68-79 Ford F250                                | Dana 44 | MG20134B | RH Inner | 34.75" | 30              |
| 68-79 Ford F250                                | Dana 44 | MG20135B | LH Inner | 18.62" | 30              |
| 73-78 GM 1/2 Ton, 71-77 Ford Bronco            | Dana 44 | MG20105B | RH Inner | 18.31" | 30              |
| 73-78 GM 1/2 Ton                               | Dana 44 | MG20116B | LH Inner | 36.13" | 30              |
| 71-77 Ford Bronco                              | Dana 44 | MG20106B | LH Inner | 27.94" | 30              |
| 68-79 Ford F150/78-79 Bronco                   | Dana 44 | MG20107B | RH Inner | 33.91" | 30              |
| 68-79 Ford F150/78-79 Bronco                   | Dana 44 | MG20118B | LH Inner | 18.91" | 30              |
| 73-80 Jeep Scout                               | Dana 44 | MG20108B | RH Inner | 14.07" | 30              |
| 73-80 Jeep Scout                               | Dana 44 | MG20119B | LH Inner | 32.91" | 30              |
| 74-79 Jeep Wagoneer                            | Dana 44 | MG20111B | RH Inner | 14.69" | 30              |
| 74-79 Jeep Wagoneer                            | Dana 44 | MG20122B | LH Inner | 33.19" | 30              |
| 80-92 Jeep Wagoneer                            | Dana 44 | MG20112B | LH Inner | 15.80" | 30              |
| 80-92 Jeep Wagoneer                            | Dana 44 | MG20123B | RH Inner | 32.12" | 30              |
| 03-06 Jeep TJ Rubicon                          | Dana 44 | MG20114B | RH Inner | 31.88" | 30              |
| 03-06 Jeep TJ Rubicon                          | Dana 44 | MG20125B | LH Inner | 16.62" | 30              |
| 07-Up Jeep JK Rubicon<br>with U-Joint #5004891 | Dana 44 | MG20138B | LH Inner | 18.78" | 32              |
| 07-Up Jeep JK Rubicon<br>with U-Joint #5004891 | Dana 44 | MG20139B | RH Inner | 33.50" | 32              |
| 77-87 GM 1/2 Ton Big Spline Upgrade*           | GM 8.5" | MG20115B | RH Inner | 35.46" | 30              |
| 77-87 GM 1/2 Ton Big Spline Upgrade*           | GM 8.5" | MG20132B | LH Inner | 19.15" | 30              |
| Blank - 4340 Chromoly                          | Dana 44 | MG20440  | LH Inner | 22.00" |                 |
| Blank - 4340 Chromoly                          | Dana 44 | MG20441  | RH Inner | 39.00" |                 |
|  |         |          |          |        |                 |

<sup>\*</sup>UPGRADE: STOCKSPUNES to BIG SO SPUNES



MODEL GO AXLES

#### **MODEL 60 AXLES**

The Model 60 axle assembly is the ultimate upgrade for those who demand the highest in performance. Due to readily available high-strength differentials and gears, 60's have become the standard of the axle aftermarket. TEN Factory offers chromoly front and rear axle shafts to maximize the strength and durability of your Model 60.

#### 4340 Chromoly Material

High strength and ductility

#### **Dual Heat Treated**

Puts the strength precisely where it is needed

| MODEL 60 INNER FRONT AXLES   |  |
|------------------------------|--|
| MILLIEL PILLMMER EKILMI VXIE |  |
|                              |  |

| APPLICATION     | MODEL   | TEN PART# | SIDE | LENGTH | SPLINE | U-JOINT |
|-----------------|---------|-----------|------|--------|--------|---------|
| 22" Blank       | Dana 60 | MG20600   | RH   | 22.00" | 35     | 5-806X  |
| 39" Blank       | Dana 60 | MG20601   | LH   | 39.00" | 35     | 5-806X  |
| 79-93 Dodge     | Dana 60 | MG20662B  | RH   | 15.98" | 35     | 5-806X  |
| 79-93 Dodge     | Dana 60 | MG20661B  | LH   | 35.10" | 35     | 5-806X  |
| 78-79 Ford*     | Dana 60 | MG20663B  | LH   | 18.66" | 35     | 5-806X  |
| 78-79 Ford*     | Dana 60 | MG20664B  | RH   | 34.56" | 35     | 5-806X  |
| 83-91 Ford      | Dana 60 | MG20662B  | LH   | 15.98" | 35     | 5-806X  |
| 83-91 Ford      | Dana 60 | MG20665B  | RH   | 36.68" | 35     | 5-806X  |
| 78-91 Chevy, GM | Dana 60 | MG20660B  | RH   | 17.67" | 35     | 5-806X  |
| 78-91 Chevy, GM | Dana 60 | MG20661B  | LH   | 35.10" | 35     | 5-806X  |

<sup>\*</sup> Some 78-79 Ford inner axles may not fit

### **MODEL 60 OUTER FRONT AXLES**

**10-YEAR WARRANTY** 

**10-YEAR WARRANTY** 

ALL 4340 CHROMOLY

| APPLICATION         | MODEL   | TEN PART # | SIDE  | LENGTH | SPLINE | U-JOINT | STUD SIZE                     | BREAK PILOT |
|---------------------|---------|------------|-------|--------|--------|---------|-------------------------------|-------------|
| Chevy, Dodge, GM    | Dana 60 | MG20650B   | LH/RH | 12.00" | 35     | 5-806X  | <sup>1</sup> / <sub>2</sub> " | 4.16        |
| Ford                | Dana 60 | MG20651B   | LH/RH | 11.40" | 35     | 5-806X  | <sup>1</sup> / <sub>2</sub> " | 4.16        |
| Ford - Unit Bearing | Dana 60 | MG20652BS  | LH/RH | 9.39"  | 35     | 5-806X  |                               |             |

# **MODEL 60 FRONT AXLE KITS**

**10-YEAR WARRANTY** 

ALL 4340 CHROMOLY

| APPLICATION             | MODEL   | TEN PART# | SIDE  | SPLINE | U-JOINT |
|-------------------------|---------|-----------|-------|--------|---------|
| 78-91 Chevy, GM Dana 60 | Dana 60 | MG22160   | LH/RH | 35     | 5-806X  |
| 79-93 Dodge Dana 60     | Dana 60 | MG22161   | LH/RH | 35     | 5-806X  |
| 78-79 Ford Dana 60      | Dana 60 | MG22162   | LH/RH | 35     | 5-806X  |
| 83-91 Ford Dana 60      | Dana 60 | MG22163   | LH/RH | 35     | 5-806X  |

# **MODEL 60 REAR SEMI-FLOAT AXLES**

**10-YEAR WARRANTY** 

**ALL 4140 CHROMOLY** 

| APPLICATION               | MODEL   | TEN PART# | SIDE  | LENGTH       | SPLINE |
|---------------------------|---------|-----------|-------|--------------|--------|
| Dana 60 Dual Bolt Pattern | Dana 60 | MG31114CB | LH/RH | 27-29.5"     | 35     |
| Dana 60 Dual Bolt Pattern | Dana 60 | MG31115CB | LH/RH | 26.75-29.25" | 35     |
| Dana 60 Dual Bolt Pattern | Dana 60 | MG31214CB | LH/RH | 29-31.5"     | 35     |

# **MODEL 60 REAR FULL FLOAT AXLES**

10-YEAR WARRANTY

ALL 4140 CHROMOLY

| APPLICATION                                 | MODEL   | TEN PART # | SIDE  | LENGTH   | SPLINE |
|---|---------|------------|-------|----------|--------|
| Dana 60 Full Float Cut to Fit w/3.5" Spline | Dana 60 | MG31160CB  | LH/RH | 34-36.5" | 35     |
| Dana 60 Full Float Cut to Fit w/3.5" Spline | Dana 60 | MG31161CB  | LH/RH | 37-39.5" | 35     |

### For an Even Stronger Off-Road Rear Axle Upgrade – Step Up to TEN Factory BIG SPLINE KITS!

Our rear axle kits feature high manganese 1541H or 4140 chromoly steel for a "stronger than stock" axle shaft. TEN Factory engineers each axle and kit for a specific vehicle to insure a "bolt-in" performance upgrade. These kits are complete with left and right axle shaft, axle bearings and seals, and wheel press-in studs.

**10-YEAR WARRANTY** 

**10-YEAR WARRANTY** 

**10-YEAR WARRANTY** 

| MODEL 20 AX           | LE KITS   |              |        |                |              |                |                  | AR WAR                 |                      |
|-----------------------|-----------|--------------|--------|----------------|--------------|----------------|------------------|------------------------|----------------------|
| APPLICATION           | TEN PART# | LENGTH LH/RH | SPLINE | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>PART# | INNER<br>SEAL<br>PART# | OUTER SEAL<br>Part # |
| 76-82 Jeep CJ 1-Piece | MG22125   | 26.25/23.25" | 29     | 5 on 5.5"      | 1/2"         | 4.160          | SET9             | 7689S                  | 8549S                |
| 83-86 Jeep CJ 1-Piece | MG22126   | 28.31/25.31" | 29     | 5 on 5.5"      | 1/2"         | 4.160          | SET9             | 7689S                  | 8549S                |
| Small Parts Kit       | MG20KIT   |              |        |                |              |                |                  |                        |                      |

#### **MODEL 35 AXLE KITS** CHROMOLY STUD BEARING OUTER SEAL APPLICATION **TEN PART# SPLINE** LENGTH LH/RH **BOLT CIRCLE BRAKE PILOT** PART# PART# SIZE 87-90 Non-Clip\* MG22133 30 30.35/28.85" 5 on 4.5" 1/2" 2.840 SET9 32359 91-06 C-Clip\* MG22134 30 30.54/29.04" 5 on 4.5" 1/2" 2.840 5707 8660S 30.54/29.04" 91-06 C-Clip (Chromoly) MG22138 27 5 on 4.5" 1/2" 2.840 5707 8660S

FORD 9" RRONCO AXLE KITS

| MODEL 44 AXL                 | E KITS       |                 |                   |                |              |                | AUL 414          | O CHRO                 | MOLY                   |
|------------------------------|--------------|-----------------|-------------------|----------------|--------------|----------------|------------------|------------------------|------------------------|
| APPLICATION                  | TEN<br>PART# | LENGTH<br>LH/RH | SPLINE            | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>PART# | INNER<br>SEAL<br>PART# | OUTER<br>SEAL<br>PART# |
| 87-06 Jeep YJ/TJ/XJ          | MG22135      | 29.75/29.25"    | 30                | 5 on 4.5"      | 1/2"         | 2.840          | SET10            | 34419                  | 35239                  |
| 87-06 Jeep YJ/TJ/XJ*         | MG22136      | 29.75/29.25"    | 33                | 5 on 4.5"      | 1/2"         | 2.840          | SET10            | 34419                  | 35239                  |
| 87-06 Jeep YJ/TJ/XJ*         | MG22137      | 29.75/29.25"    | 35                | 5 on 4.5"      | 1/2"         | 2.840          | SET10            | 34419                  | 35239                  |
| 07-Up Jeep JK<br>Non-Rubicon | MG22156      | 32.50"          | 30                | 5 on 5"        | 1/2"         | 2.828          | SET10            | 34419                  | 35239                  |
| 07-Up Jeep JK Rubicon        | MG22157      | 31.1/32.5"      | 32                | 5 on 5"        | 1/2"         | 2.828          | SET10            | 34419                  | 35239                  |
| 07-Up Jeep JK*               | MG22158      | 32.50"          | 35                | 5 on 5"        | 1/2"         | 2.828          | SET10            | 34419                  | 35239                  |
| * UPGRADE: STOCK             | EOSPLINES'   | io BIG 33 o     | r <b>35 SPU</b> N | <b>IE</b> S    |              |                |                  |                        |                        |

| TOILD & Eligible II                             |              |        |                 |                | REET         |                | паппооо          |
|---|--------------|--------|-----------------|----------------|--------------|----------------|------------------|
| APPLICATION                                     | TEN<br>PART# | SPLINE | LENGTH<br>LH/RH | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>PART# |
| 66-75 Ford Bronco Small Bearing                 | MG22220      | 28     | 27.25/29.62"    | 5 on 5.5"      | 1/2"         | 2.870          | RW508ER          |
| 66-75 Ford Bronco Small Bearing                 | MG22226      | 31     | 27.25/29.62"    | 5 on 5.5"      | 1/2"         | 2.870          | RW508ER          |
| 66-75 Ford Bronco Large Bearing                 | MG22222      | 28     | 26.94/29.31"    | 5 on 5.5"      | 1/2"         | 2.870          | RW508ER          |
| 74-75 Ford Bronco Large Bearing with 10" Brakes | MG22224      | 28     | 27.25/29.31"    | 5 on 5.5"      | 1/2"         | 2.870          | SET20            |

<sup>\*</sup> UPGRADE STOCK ETSPUNES TO BIG SO SPUNES

#### **PERFORMANCE AXLE KITS**

Whether you are upgrading a late model Mustang or a classic GM muscle car, TEN Factory performance car axle kits are strong, reliable and affordable. Each kit comes complete with left and right axle shaft, axle bearings and seals, plus wheel studs, and is backed with a TEN-Year Replacement Warranty.

All of our Performance Axle Kits include: wheel bearings, wheel seals and O.E. size press-in studs.



# FORD 8.8" PERFORMANCE CAR AXLE KITS

10-YEAR WARRANTY

| APPLICATION                                     | MODEL     | TEN<br>PART# | LENGTH<br>LH/RH  | SPLINE | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|---|-----------|--------------|------------------|--------|----------------|--------------|----------------|--------------------|------------------|----------------|
| 79-93 Ford Mustang<br>5 Lug Upgrade             | Ford 8.8" | MG22180      | 29.25"           | 28     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 79-93 Ford Mustang 5 Lug Big Spline Upgrade*    | Ford 8.8" | MG22181      | 29.25"           | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 79-93 Ford Mustang                              | Ford 8.8" | MG22182      | 29.25"           | 28     | 4 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 79-93 Ford Mustang<br>4 Lug Big Spline Upgrade* | Ford 8.8" | MG22183      | 29.25"           | 31     | 4 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 94-98 Ford Mustang                              | Ford 8.8" | MG22184      | 29.93"           | 28     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 94-98 Ford Mustang<br>5 Lug Big Spline Upgrade* | Ford 8.8" | MG22185      | 29.93"           | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 99-04 Ford Mustang                              | Ford 8.8" | MG22186      | 30.63"           | 28     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 99-04 Ford Mustang Big Spline Upgrade*          | Ford 8.8" | MG22187      | 30.63"           | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 05-08 Ford Mustang/GT                           | Ford 8.8" | MG22189      | 32.81/<br>31.68" | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |

<sup>\*</sup> UPGRADE: STOCK 23 SPUNES to BIG 31 SPUNES

# GM 7.5"/7.6" 10 BOLT PERFORMANCE CAR AXLE KITS

**10-YEAR WARRANTY** 

**ALL 1541H Manganese** 

| APPLICATION           | MODEL       | TEN<br>PART# | LENGTH<br>LH/RH | SPLINE | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|-----------------------|-------------|--------------|-----------------|--------|----------------|--------------|----------------|--------------------|------------------|----------------|
| 90-92 Chevy<br>Camaro | GM 7.5/7.6" | MG22103      | 30.31"          | 28     | 5 on<br>4.75"  | 12mm         | 2.780          | 1.400              | 5707             | 8660S          |
| 93-96 Chevy<br>Camaro | GM 7.5/7.6" | MG22104      | 32.00"          | 28     | 5 on<br>4.75"  | 12mm         | 2.780          | 1.400              | 5707             | 8660S          |

GM Performance Axle Kits accept 7/16" & 1/2" Studs

# GM 8.2"/8.5" 10 BOLT PERFORMANCE CAR AXLE KITS

10-YEAR WARRANTY

| APPLICATION           | MODEL       | TEN PART# | LENGTH<br>LH/RH | SPLINE | BOLT<br>CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|-----------------------|-------------|-----------|-----------------|--------|----------------|--------------|----------------|--------------------|------------------|----------------|
| 65-67 Chevy Chevelle  | GM 8.2/8.5" | MG22100   | 29.62"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 67-69 Chevy Camaro    | GM 8.2/8.5" | MG22100   | 29.62"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 70-75 Chevy Nova      | GM 8.2/8.5" | MG22100   | 29.62"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 68-72 Chevy Chevelle  | GM 8.2/8.5" | MG22101   | 30.12"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 68-72 Chevy El Camino | GM 8.2/8.5" | MG22101   | 30.12"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 70-81 Chevy Camaro    | GM 8.2/8.5" | MG22101   | 30.12"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 73-77 Chevy Chevelle  | GM 8.2/8.5" | MG22102   | 30.43"          | 28     | 5 on 4.75"     | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |

GM Performance Axle Kits accept 7/16" & 1/2" Studs

# CAR/SUV REPLACEMENT SINGLE AXLE KITS

TEN Factory replacement axle kits are designed as direct replacements for original equipment axle shafts without modifications. All of our single axle kits include: wheel bearings, wheel seals and factory size press-in studs. Our TEN Factory replacement axles are made from high manganese 1541H steel, which allows for a deeper and harder heat treatment while maintaining ductility. All replacement axles include our TEN-Year replacement warranty.

# **GM 8.875" 12 BOLT PERFORMANCE CAR AXLE KITS**

**10-YEAR WARRANTY** 

**ALL 1541H Manganese** 

| APPLICATION                   | MODEL              | TEN<br>PART# | LENGTH LH/<br>RH | SPLINE | BOLT CIRCLE | STUD<br>Size | BRAKE<br>  PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|-------------------------------|--------------------|--------------|------------------|--------|-------------|--------------|------------------|--------------------|------------------|----------------|
| 65-67 Chevy Chevelle          | GM 8.875"          | MG22110      | 29.56"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| 67-69 Camaro                  | GM 8.875"          | MG22110      | 29.56"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| 68-72 Chevy II                | GM 8.875"          | MG22110      | 29.56"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| 68-72 Chevy Chevelle          | GM 8.875"          | MG22109      | 30.06"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| 68-72 El Camino               | GM 8.875"          | MG22109      | 30.06"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| 70-72 Camaro                  | GM 8.875"          | MG22109      | 30.06"           | 30     | 5 on 4.75"  | 7/16"        | 2.775            | 1.400              | 5707             | 8660S          |
| GM Performance Axle Kits acce | ept 7/16" & 1/2" S | tuds         |                  |        |             |              |                  |                    |                  |                |

# FORD CAR REPLACEMENT SINGLE AXLE KITS

**10-YEAR WARRANTY** 

**ALL 1541H Manganese** 

| APPLICATION           | MODEL     | TEN PART# | SIDE  | LENGTH | SPLINE | BOLT<br>CIRCLE | STUD<br>Size | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|-----------------------|-----------|-----------|-------|--------|--------|----------------|--------------|----------------|--------------------|------------------|----------------|
| 79-93 Ford Mustang    | Ford 8.8" | MG25116   | LH/RH | 29.25" | 28     | 4 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 94-98 Ford Mustang    | Ford 8.8" | MG25117   | LH/RH | 29.93" | 28     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 99-04 Ford Mustang    | Ford 8.8" | MG25154   | LH/RH | 30.63" | 28     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 05-08 Ford Mustang/GT | Ford 8.8" | MG25155   | RH    | 32.81" | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 05-08 Ford Mustang/GT | Ford 8.8" | MG25156   | LH    | 31.68" | 31     | 5 on 4.5"      | 1/2"         | 2.525          | 1.400              | 5707             | 8660S          |
| 66-70 Ford Mustang,   | Ford 9"   | MG25150   | LH    | 27.12" | 31     | 5 on 4.5"      | 1/2"         | 2.430          | 1.375              | RW207CCRA        | 8660S          |
| 66-70 Ford Mustang,   | Ford 9"   | MG25151   | RH    | 31.25" | 31     | 5 on 4.5"      | 1/2"         | 2.430          | 1.375              | RW207CCRA        | 8660S          |
| 67-70 Mercury Cougar* | Ford 9"   | MG25150   | LH    | 27.12" | 31     | 5 on 4.5"      | 1/2"         | 2.430          | 1.375              | RW207CCRA        | 8660S          |
| 67-70 Mercury Cougar* | Ford 9"   | MG25151   | RH    | 31.25" | 31     | 5 on 4.5"      | 1/2"         | 2.430          | 1.375              | RW207CCRA        | 8660S          |
| * ***                 |           |           |       |        |        |                |              |                |                    |                  |                |

\* UPGRADE: STOCK 23 SPUNES to BIG 31 SPUNES

# **GM CAR REPLACEMENT SINGLE AXLE KITS**

10-YEAR WARRANTY

**ALL 1541H Manganes** 

| APPLICATION  | MODEL       | TEN PART# | LENGTH | SPLINE | BOLT CIRCLE | STUD<br>SIZE | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|--|-------------|-----------|--------|--------|-------------|--------------|----------------|--------------------|------------------|----------------|
| 90-92 Chevy Camaro                                       | GM 7.5"     | MG27126   | 30.31" | 28     | 5 on 4.75"  | 12mm         | 2.780          | 1.400              | 5707             | 8660S          |
| 93-96 Chevy Camaro                                       | GM 7.5"     | MG27127   | 32.00" | 28     | 5 on 4.75"  | 12mm         | 2.780          | 1.400              | 5707             | 8660S          |
| 98-02 Chevy Camaro,<br>Pontiac Firebird<br>3-Channel ABS | GM 7.5"     | MG27136   | 32.00" | 28     | 5 on 4.75"  | 12mm         | 2.780          | 1.400              | 5707             | 8660S          |
| 66-69 Pontiac GTO<br>Firebird                            | GM 8.2"     | MG27131   | 30.00" | 28     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 65-67 Chevy Chevelle<br>67-69 Camaro<br>70-75 Nova       | GM 8.2/8.5" | MG27121   | 29.62" | 28     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 68-72 Chevy Chevelle<br>70-81 Camaro                     | GM 8.2/8.5" | MG27122   | 30.12" | 28     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 73-77 Chevy Chevelle<br>El Camino                        | GM 8.5"     | MG27123   | 30.43" | 28     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 68-72 Chevy Chevelle<br>70-72 Camaro                     | GM 8.875"   | MG27119   | 30.06" | 30     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |
| 65-67 Chevy Chevelle<br>67-69 Camaro<br>68-72 Chevy II   | GM 8.875"   |           | 29.56" | 30     | 5 on 4.75"  | 7/16"        | 2.775          | 1.400              | 5707             | 8660S          |

\* UPGRADE: STOCK 23 SPUNES to BIG 31 SPUNES

# TRUCK REPLACEMENT SINGLE AXLE KITS

REPLACEMENT/AXLES

All of our single axle kits include: wheel bearings, wheel seals and factory size studs. TEN Factory replacement axles are made from high manganese 1541H material, allowing a deeper and harder heat treatment. This allows us to back them with a TEN-Year replacement warranty.

# FORD TRUCK REPLACEMENT SINGLE AXLE KITS 10-YEAR WARRANTY ALL 15-4111 Manganesse

| I OND I HOUR HEI EAGEMENT GINGLE AREE RITU            |               |           |           |        |        |                |           |                | ALL IU             | 4.III Maliya     | ШФЛ            |
|---|---------------|-----------|-----------|--------|--------|----------------|-----------|----------------|--------------------|------------------|----------------|
| APPLICATION   | MODEL         | TEN PART# | SIDE      | LENGTH | SPLINE | BOLT<br>CIRCLE | STUD SIZE | BRAKE<br>PILOT | BEARING<br>SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
| 83-92 Ford Ranger                                     | Ford 7.5"/8.8 | "MG25108  | RH        | 26.25" | 28     | 5 on<br>4.5"   | 1/2"      | 2.525          | 1.400              | 5707             | 8660S          |
| 83-92 Ford Ranger                                     | Ford 7.5"/8.8 | "MG25110  | LH        | 29.12" | 28     | 5 on<br>4.5"   | 1/2"      | 2.525          | 1.400              | 5707             | 8660S          |
| 83-86 Ford Bronco                                     | Ford 8.8"     | MG25100   | RH        | 31.06" | 31     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.620              | 6408             | 8835S          |
| 83-86 Ford F150                                       | Ford 8.8"     | MG25101   | LH        | 33.18" | 31     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.620              | 6408             | 88359          |
| 87-96 Bronco/E150                                     | Ford 8.8"     | MG25103   | RH        | 31.06" | 31     | 5 on<br>5.5"   | 1/2"      | 3.415          | 1.620              | 6408             | 88359          |
| 87-96 Ford F150                                       | Ford 8.8"     | MG25104   | LH        | 31.06" | 31     | 5 on<br>5.5"   | 1/2"      | 3.415          | 1.620              | 6408             | 88359          |
| 97-04 Ford Expedition                                 | Ford 8.8"     | MG25105   | RH        | 31.75" | 31     | 5 on<br>135mm  | 12/14mm   | 3.415          | 1.620              | 6408             | 88359          |
| 97-04 Ford F150                                       | Ford 8.8"     | MG25106   | LH        | 33.37" | 31     | 5 on<br>135mm  | 12/14mm   | 3.415          | 1.620              | 6408             | 8835S          |
| 95-Up Ford Explorer                                   | Ford 8.8"     | MG25114   | RH        | 27.62" | 31     | 5 on<br>4.5"   | 1/2"      | 2.795          | 1.400              | 5707             | 8660S          |
| 95-Up Ford Explorer                                   | Ford 8.8"     | MG25115   | LH        | 30.50" | 31     | 5 on<br>4.5"   | 1/2"      | 2.795          | 1.400              | 5707             | 8660S          |
| 93-97 Ford Ranger                                     | Ford 8.8"     | MG25139   | RH        | 27.25" | 28     | 5 on<br>4.5"   | 1/2"      | 2.525          | 1.400              | 6408             | 88355          |
| 66-75 Ford Bronco<br>Small Bearing                    | Ford 9"       | MG25220   | LH        | 27.25" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.375              | RW507ER          | 51098          |
| 66-75 Ford Bronco<br>Small Bearing                    | Ford 9"       | MG25221   | RH        | 29.62" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.375              | RW507ER          | 51098          |
| 66-75 Ford Bronco<br>Large Bearing                    | Ford 9"       | MG25222   | LH        | 26.94" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 66-75 Ford Bronco<br>Large Bearing                    | Ford 9"       | MG25223   | RH        | 29.31" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 74-75 Ford Bronco<br>Large Bearing<br>with10" Brakes  | Ford 9"       | MG25224   | LH        | 27.25" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 74-75 Ford Bronco<br>Large Bearing<br>with 10" Brakes | Ford 9"       | MG25225   | RH        | 20.75" | 28     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 74-86 Ford F150                                       | Ford 9"       | MG25102   | LH/<br>RH | 31.84" | 31     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 74-86 Ford E150                                       | Ford 9"       | MG25102   | LH/<br>RH | 31.84" | 31     | 5 on<br>5.5"   | 1/2"      | 2.870          | 1.565              | SET20            | 3195           |
| 97-99 Ford Expedition                                 | Ford 9.75"    | MG25143   | LH        | 33.37" | 34     | 5 on<br>135mm  | 12mm      | 3.430          | 1.620              | 6408             | 88355          |
| 97-99 Ford F150                                       | Ford 9.75"    | MG25143   | LH        | 33.37" | 34     | 5 on<br>135mm  | 12mm      | 3.430          | 1.620              | 6408             | 88355          |
| 97-99 Navigator                                       | Ford 9.75"    | MG25144   | RH        | 31.75" | 34     | 5 on<br>135mm  | 12mm      | 3.430          | 1.620              | 6408             | 88355          |
| 99-04 Ford F150                                       | Ford 9.75"    | MG25146   | LH        | 33.37" | 34     | 5 on<br>135mm  | 14mm      | 3.430          | 1.705              | R1561TV          | 71010          |
| 99-04 Ford Navigator                                  | Ford 9.75"    | MG25146   | LH        | 33.37" | 34     | 5 on<br>135mm  | 14mm      | 3.430          | 1.705              | R1561TV          | 71010          |
| 99-04 Ford Expedition                                 | Ford 9.75"    | MG25146   | LH        | 33.37" | 34     | 5 on<br>135mm  | 1/mm      | 3.430          | 1.705              | R1561TV          | 71010          |
| 99-04 Ford F150                                       | Ford 9.75"    | MG25145   | RH        | 31.75" | 34     | 5 on<br>135mm  | 14mm      | 3.430          | 1.705              | R1561TV          | 71010          |
| 99-04 Ford Navigator                                  | Ford 9.75"    | MG25145   | RH        | 31.75" | 34     | 5 on<br>135mm  | 14mm      | 3.430          | 1.705              | R1561TV          | 71010          |
| 99-04 Ford Expedition                                 | Ford 9.75"    | MG25145   | RH        | 31.75" | 34     | 5 on<br>135mm  | 1.4mm     | 3.430          | 1.705              | R1561TV          | 71010          |

#### **10-YEAR WARRANTY** GM TRUCK REPLACMENT SINGLE AXLE KITS STUD **BRAKE BEARING BEARING** WHEEL **APPLICATION** MODEL TEN PART# SIDE LENGTH **SPLINE BOLT** SIZE **PILOT** SURFACE PART# SEAL# 83-89 Chevy S10 4WD GM 7.5" MG27108 LH/RH 29.00" 5 on 4.75" 7/16" 2.760 1.400 5707 8660S 88-94 Chevy S10 2WD GM 7.5" MG27125 LH/RH 26.56" 5 on 4.75" 7/16" 2.760 1.400 5707 8660S 88-98 Chevy S10 4WD GM 7.5" MG27107 LH/RH 29.00" 5 on 4.75" 12mm 2.760 1.400 513023 4795S 28 79-89 Chevy 1/2 Ton 2WD GM 8.5" MG27112 LH/RH 31.37" 28 5 on 5" 1/2" 3.089 1.620 6408 8835S 81-88 Chevy1/2 Ton 4WD GM 8.5" MG27104 LH/RH 31.31" 28 6 on 5.5" 7/16" 3.550 1.620 6408 8835S 88-91 Chevy 1/2 Ton 4WD GM 8.5" MG27105 LH/RH 31.31" 30 6 on 5.5" 7/16" 3.550 1.620 6408 8835S Non-IFS 88-00 Chevy 4WD GM 8.5" MG27137 LH/RH 32.75" 30 6 on 5.5" 14mm 3.089 1.620 513067 4762N with IFS Front 88-91 Chevy 1/2 Ton 2WD GM 8.5" MG27113 LH/RH 30.38" 30 5 on 5" 1/2" 4.089 1.620 6408 8835S 92-98 Chevy 1/2 Ton 2WD

30

30

30

30

30

5 on 5"

6 on 5.5"

5 on 5"

6 on 5.5"

14mm 3.089

7/16" 3.060

7/16" 3.060

7/16" 3.550

6 on 5.5" 14mm 3.092

1.620

1.620

1.620

1.620

1.620

#### DODGE TRUCK REPLACMENT SINGLE AXLE KITS

GM 8.5" MG27110 LH/RH 31.81"

GM 8.5" MG27129 LH/RH 33.63"

8.875" MG27133 LH/RH 30.50"

MG27109 LH/RH 31.31"

MG27103 LH/RH 31.28"

**10-YEAR WARRANTY** 

6408

513067

6408

6408

6408

8835S

4762N

8835S

8835S

8835S

**ALL 1541H Manganese** 

| APPLICATION                   | MODEL       | TEN PART# | SIDE  | LENGTH | SPLINE | BOLT    | STUD<br>SIZE |       | BEARING<br>SURFACE |      | WHEEL<br>SEAL# |
|-------------------------------|-------------|-----------|-------|--------|--------|---------|--------------|-------|--------------------|------|----------------|
| 74-79 Dodge Ramcharger<br>4WD | Chrys 9.25" | MG29100   | LH/RH | 31.68" | 31     | 5 on 5" | 1/2"         | 2.830 | 1.620              | 6408 | 8835S          |
| 75-83 Ramcharger 2WD          | Chrys 9.25" | MG29100   | LH/RH | 31.68" | 31     | 5 on 5" | 1/2"         | 2.830 | 1.620              | 6408 | 8835S          |
| 4/84-93 Dodge<br>Ramcharger   | Chrys 9.25" | MG29101   | LH/RH | 31.62" | 31     | 5 on 5" | 1/2"         | 3.560 | 1.620              | 6408 | 8835S          |
| 80-4/84 Dodge<br>Ramcharger   | Chrys 9.25" | MG29102   | LH/RH | 31.62" | 31     | 5 on 5" | 1/2"         | 3.560 | 1.620              | 6408 | 8835S          |
| 94-06 Dodge 1/2 Ton Style     | Chrys 9.25" | MG29111   | LH/RH | 34.12" | 31     | 5 on 5" | 1/2"         | 3.090 | 1.620              | 6408 | 8835S          |

### JEEP REPLACEMENT AXLE KITS

8.875"

GM

8.875"

92-98 Suburban

99-05 Chevy 2/4WD

70-81 Chevy 12 Bolt

1/2 Ton 4WD

1/2 Ton/Tahoe/Suburban

65-69 Chevy 12 Bolt Truck

70-81 Chevy 1/2 Ton 2WD

94-98 Tahoe

10-YEAR WARRANTY

**ALL(1541H)Manganese** 

| APPLICATION            | MODEL       | TEN PART# | SIDE  | LENGTH |    | CIRCLE    | SIZE | PILOT | SURFACE | BEARING<br>PART# | WHEEL<br>SEAL# |
|------------------------|-------------|-----------|-------|--------|----|-----------|------|-------|---------|------------------|----------------|
| 91-06 Jeep YJ/TJ/XJ    | Dana 35     | MG31135   | LH    | 30.54" | 27 | 5 on 4.5" | 1/2" | 2.840 | 1.400   | 5707             | 8660S          |
| 91-06 Jeep YJ/TJ/XJ    | Dana 35     | MG31136   | RH    | 29.04" |    | 5 on 4.5" |      |       |         |                  | 8660S          |
| 91-06 Jeep Cherokee XJ | Chrys 8.25" | MG31116   | LH/RH | 29.75" | 27 | 5 on 4.5" | 1/2" | 2.840 | 1.620   | 6408             | 8835S          |
| 71-80 Jeep Scout       | Dana 44     | MG31117   | LH/RH | 28.25" |    |           |      |       |         | SET10            | 35239          |
| 97-02 Jeep Cherokee XJ | Chrys 8.25" | MG31118   | LH/RH | 29.75" | 29 | 5 on 4.5" | 1/2" | 2.840 | 1.620   | 6408             | 8835S          |

20

REPLACEMENT/AXLES



### **MOTIVE GEAR PERFORMANCE**

Motive Gear Performance® manufactures the largest line of high performance ring and pinion gear options available with gear sets in a wide range of ratios for nearly every application, both on and off-road. Motive Gear Performance products can be found in the winner's circle at NHRA®, IHRA™, ANDRALTD, SODA, SCORE International®, and NASCAR® events. The superior quality of our components is the result of years of racing development, outstanding design, and state-of-the-art manufacturing methods. Extensive testing is performed on all products. Motive Gear Performance ring and pinions are used by the top drivers and racing teams worldwide.



#### **MOTIVE GEAR**

Motive Gear® produces the widest range of OEM replacement gears in the world today. This range includes ring and pinion gears and axle shaft options, plus internal kits, carrier and transfer cases, manual transmission components and yokes. Motive Gear products are the result of our continuous research and development program, combined with state-of-the-art manufacturing capabilities at our plants worldwide. In combination with Motive Gear's performance and axle divisions: Motive Gear Performance and TEN Factory™, there simply isn't a better value in drivetrain components. www.MotiveGear.com



#### **POWERTRAX**

POWERTRAX® proves that you don't have to choose between the superior traction of a locking differential and smooth handling and driveability of an open differential. Powertrax Lock-Right® Lockers and No-Slip™ Traction Systems give you the best of both worlds! The Powertrax Lock-Right Locker provides outstanding traction for off-road machines and race vehicles. Powertrax No-Slip Traction Systems deliver excellent performance to street-driven cars and trucks. Both can easily be installed by home mechanics. www.Powertrax.com

#### WARRANTY

Midwest Truck & Auto Parts inc.® warrants that all new TEN Factory™ axle shafts, except as otherwise provided herein, will be free from defects in material and workmanship for the first 10 years or 100,000 miles, whichever occurs first. ALL other TEN Factory™ products carry a 1 year, 10,000 mile warranty. THIS WARRANTY WILL NOT APPLY IF ANY PART HAS BEEN MODIFIED, DAMAGED, OR IS DEFECTIVE AS A RESULT OF ANY ACCIDENT, MISUSE, IMPROPER INSTALLATION, NEGLIGENCE, REPAIR OR ALTERATION. Implied warranties, including warranties of merchantability or fitness for a particular purpose, are excluded; the entire risk as to the quality and performance of such parts is with the buyer. Should such parts prove defective following their purchase, the buyer and not the manufacturer, distributor or retailer, assumes the entire cost of all necessary servicing or repair.

THIS WARRANTY IS ONLY AVAILABLE TO THE ORIGINAL BUYER OF THE PART AND IS NON-TRANSFERABLE.

To make a warranty claim on parts, distributors should contact Midwest Truck & Auto Parts, Inc. <sup>®</sup> and individuals should contact their Midwest Truck & Auto Parts Inc. <sup>®</sup> distributor for a return goods authorization (RGA) number. No returns will be accepted without a RGA number. All parts Should be returned to Midwest Truck & Auto Parts, Inc. <sup>®</sup>, freight prepaid. Midwest Truck & Auto Parts, Inc. <sup>®</sup> will issue a credit equal to the original purchase price for all defective parts covered by this warranty. In the event that a warranty claim cannot be substantiated by Midwest Truck & Auto Parts, Inc. <sup>®</sup>, the parts will be returned to the customer freight collect.

This warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose and in no event will Midwest be liable for incidental, special or consequential damages, including, but not limited to, any labor costs.

Disclaimer: Parts listed in this catalog are not necessarily manufactured by the original equipment manufacturer and any reference to the trademarks or part numbers of others are for cross reference informational purposes only. The photos provided herein are provided only for illustrative purposes. The actual products supplied may differ. The trademarks of others referred to herein are owned by their respective companies and are not affiliated in any way with Midwest Truck & Auto Parts Inc. <sup>®</sup> or TEN Factory™. World American®, Motive Gear®, Motive Gear Performance® are registered trademarks of Midwest Truck & Auto Parts, Inc.®. Use of the '®' in connection with a mark of Midwest Truck & Auto Parts, Inc.® indicates that the mark is registered in at least the United States. No representation is made with respect to the source of manufacture of any particular part. While every effort is made to provide accurate information, no guarantee is provided as to the accuracy of the information contained herein. We are not responsible for typographical errors.

Midwest Truck & Auto Parts, Inc.® All Rights Reserved.